



(19)

(11) Publication number:

2002136882 A

Generated Document

## PATENT ABSTRACTS OF JAPAN

(21) Application number: 2000383251

(51) Intl. Cl.: B01J 41/14 B01J 47/04 C08F 8/32 C08F 12/16 C08G  
81/02 C08J 5/20

(22) Application date: 18.12.00

(30) Priority: 25.08.00 JP 2000255880

(43) Date of application  
publication: 14.05.02(84) Designated contracting  
states:

(71) Applicant: MITSUBISHI CHEMICALS CORP

(72) Inventor: HONDA NAOKO

(74) Representative:

**(54) METHOD FOR  
MANUFACTURING ANION  
EXCHANGER AND ANION  
EXCHANGER**



(57) Abstract:

**PROBLEM TO BE SOLVED:** To provide a method for manufacturing a new anion exchanger by which the clumping caused by the surface electric charge of an ion exchange resin can be reduced.

**SOLUTION:** This method for manufacturing the new anion exchanger comprises reacting an organic molecule having an OH group with the cross-linked copolymer containing as a constituent the repeating unit shown by the general formula (1) (R is a 1-8C straight

chain alkylene group, a 1-8C cyclic hydrocarbon group or a 1-8C alkoxyethylene group. Hydrogen at any position of a benzene ring can be substituted with R and hydrogen at another position of the benzene ring can be substituted with an alkyl group or a halogen atom; Z is a halogen atom; m is an integer of  $\geq 1$ ) and then reacting the cross-linked copolymer thus modified with the compound shown by the general formula (2) (R1, R2 and R3 are each a 1-20C alkyl or hydroxyalkyl group).

COPYRIGHT: (C)2002,JPO



BEST AVAILABLE COPY